## A/PROF DAMIAN MARUCCI

MBBS, BA, PhD, FRACS

Provider No. 206938EX

MIRANDA SUITE 3, LEVEL 4 531 – 533 THE KINGSWAY MIRANDA NSW 2228 TELEPHONE: 9525 8400 KOGARAH AESTHETIC DAY SURGERY 14 KENSINGTON STREET KOGARAH NSW 2217 TELEPHONE: 9588 6374

AFTER HOURS: 0413 123 155

DAMIAN MARUCCI ABN 36 153 114 832

Post Operative Instructions

## **SKIN GRAFT CARE**

- Always clean your hands before touching or caring for your wounds
- If there is excessive redness or irritation with your wound/s, or signs of infection, or if you develop a fever above 37.5°, please telephone our rooms on the numbers above. If you are unable to contact us at the rooms, please telephone the after hours number instead
- 1. **Grafted Area** (from where the lesion has been removed) **KEEP DRY** ☐ Leave dressing(s) dry and intact until your review appointment. However, if the outer dressing (gauze and tape) falls off, the remainder dressing underneath (foam rubber) should REMAIN. DO NOT ATTEMPT TO REMOVE THIS DRESSING ☐ Keep wound dry and apply Vaseline twice daily until your next appointment 2. Donor Area on Arm or Leg ☐ Leave dressings dry and intact until your review appointment Remove the outer bandage in days. Leave the paper tape on the wound. You may get this tape lightly wet in the shower and then pat dry. If the paper tape falls off, replace with new paper tape Remove the outer bandage and Vaseline impregnated gauze in \_\_\_\_\_ days. You may shower normally. Apply ordinary Vaseline to the wound twice a day b) Donor Area in Front or Behind the Ear or on the Neck Leave dressing(s) dry and intact for 24 hours. You may then shower over the tape ☐ If desired, MICROPORE TAPE may be applied directly over the sutures ☐ Apply ordinary Vaseline to wound twice daily until your review appointment If you have excessive bleeding, apply DIRECT PRESSURE FOR 10 MINUTES. If necessary, the dressing(s) may be replaced with a similar type. If bleeding persists, ring our rooms DO NOT shave or apply make-up over the sutures If there is excessive redness, irritation, or any signs of possible infection ring our rooms or your If your wound is on your arm or leg, keep that limb elevated for the first 2 days, and whenever possible until the wound is completely healed If required, pain medication may be taken (not Aspirin) Follow up appointment: ☐ Kogarah Rooms ■ Miranda Rooms at:



010 DM Skin Graft Care Revision 11 10 February 2020

If you have any questions or concerns, please contact us on one of the numbers above.